

Good Housekeeping

Appendix

City of Poquoson Annual Report

VAR# 040024

Fiscal Year 2021

Submitted to DEQ September 30, 2021

<u>BMP 6</u>	<u>Good Housekeeping</u>
	Status of Compliance Spreadsheets
6.2b	Typical Monthly SWPPP Inspection Form for High Priority Facility. Inspection forms are retained by Public Works per SWPPP.
6.3	List of NMP Covered Sites
6.5	Written Training Plan
6.5	Covid impacts on training; Summary of Training Objectives; Agenda for upcoming October training
6.5	Pesticides & herbicide certifications
6.5	E&SC and Stormwater Program Certifications
6.5	Emergency Responder Haz Mat training attendance

Updated MS4 Program Plan July 1, 2020- June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee						
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents
6.1	Operations and Maintenance Activities					
6.1a	Pollution prevention procedures at permittee-owned facilities	Continue to implement and update plans describing spill prevention and control and pollution prevention procedures for municipal facilities specifically to prevent illicit discharges	SOP(s)/ O&M Plan	SW Program Administrator/ EMS Team	Continuously	SOPs/ O&M Plan
						Compliant. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality
6.1b	Waste Disposal	Continue to implement and update procedures for proper waste disposal, including yard waste	SOP(s)/ O&M Plan	SW Program Administrator/ EMS Team	Continuously	SOPs/ O&M Plan
						Compliant. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality
6.1c	Manage Municipal Vehicle Wash Water and Wastewater	Develop and implement procedures to prevent the discharge of municipal vehicle wash water into the MS4 without a separate VPDES permit	Procedures	Operations Personnel and Department of Utilities	Continuously	SOPs/ O&M Plan
						Compliant. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality

Updated MS4 Program Plan July 1, 2020- June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee						
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents
6.1e	Stormwater System Maintenance BMPs	Require BMPs when discharging water pumped from utility construction and maintenance activities	BMPs Used	Operations Personnel	Continuously	Compliant. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality
6.1f	Bulk Storage BMPs	Require BMPs for bulk storage areas (salt storage, top soil stockpiles)	BMPs Used	Operations Personnel	Continuously	Compliant. Materials are stored under a roof. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality
6.1g	Manage Leaking Municipally-owned Leaking Vehicles	Prevent the discharge of pollutants to the MS4	BMPs Used	Operations Personnel	Continuously	Compliant. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality

Updated MS4 Program Plan July 1, 2020- June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee						
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents
6.1h	Manage Fertilizers and Pesticides	Implement procedures to ensure materials are applied in accordance with manufacturer's recommendations	Procedures	Operations Personnel	Continuously	SOPs/ O&M Plan
6.2	Storm Water Pollution Prevention Plans (SWPPP)					Compliant. Personnel applying these are trained and certified. The SOPs and O&M plan are provided in the City's SWPPP plan for municipal facilities. This is available on the City website at https://www.ci.poquoson.va.us/278/Stormwater-Quality
6.2a	High-priority facilities	Identify municipal high-priority facilities that have a high potential to discharge stormwater pollutants	# & type of high-priority facilities	SW Program Administrator	Within 12 months	List of high-priority facilities
6.2b	SWPPP Implementation	Maintain and implement SWPPPs for identified high-priority facilities	SWPPP	SW Program Administrator	Continuously	Compliant. The City has one High-priority facility. The City's Public Works Yard houses Public Works, Utilities, and Vehicle Maintenance buildings and equipment. This is the only site identified.
6.3	Nutrient Management Plans (NMPs)					Compliant. See SWPPP (website reference in 6.1). Typical SWPPP inspection form is found in appendix. Public Works retains monthly forms.

Updated MS4 Program Plan July 1, 2020- June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee							
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents	PY 3 Status
6.3a	NMP Implementation	Maintain and implement NMPs on permittee-owned lands where nutrients are applied to a contiguous area greater than one acre	NMP	SW Program Administrator & Landscape Division	Continuously	List of NMP Covered Sites	Compliant. Two sites within the City have been identified. These sites have nutrient management plans supplied by a contractor. Other City properties are less than one acre or nutrients are not applied. For example, the City does not apply nutrients at school sites. See appendix for sites identified.
6.3b	Avoid deicing agents	Operator shall not apply deicing agents containing urea or other forms of nitrogen or phosphorus to parking lots, roadways, and sidewalks, or other paved surfaces	Statement of non-use of nutrient containing deicing agents	Public Works Director	Annually	Statement	Compliant. Operator shall not apply deicing agents containing urea or other forms of nitrogen or phosphorus to parking lots, roadways, and sidewalks, or other paved surfaces.
6.4	Contractors						
	Contractors minimize the discharge of pollutants	Provide contract language, training, SOPs, etc. to contractors to use appropriate control measures to minimize the discharge of pollutants to the MS4	Contract language, SOPs, etc.	SW Program Administrator	Continuously	Contract language, SOPs, etc.	Compliant. Contractors are required to follow SOP's and are supervised by Public Works staff to ensure compliance. See SWPPP at link reference above.
6.5	Employee Education & Training						
6.5a	Written training plan	Maintain and implement a training plan for applicable staff	Training Plan	SW Program Administrator	PY1	Training Plan	Compliant. See Appendix.

Updated MS4 Program Plan July 1, 2020- June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee							
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents	PY 3 Status
6.5b	IDDE Training for field personnel	Provide training to field personnel in the recognition and reporting of illicit discharges	# of training sessions / # employees trained	SW Program Administrator	No less than once every 24 months	Date, Attendance list, Summary of training objectives	All group trainings were suspended due to Covid in PY3. The City hopes to resume training in PY4, once Covid is no longer an issue. See Appendix.
6.5c	Streets & parking lot maintenance staff training	Provide training to Streets & Landscape Divisions for road, street & parking lot maintenance	# of training sessions / # employees trained	SW Program Administrator	No less than once every 24 months	Date, Attendance list, Summary of training objectives	All group trainings were suspended due to Covid in PY3. The City hopes to resume training in PY4, once Covid is no longer an issue. See Appendix.
6.5d	Good housekeeping at municipal yards	Provide training on good housekeeping and pollution prevention practices to employees working in and around maintenance, public works, or rec facilities	# of training sessions / # employees trained	SW Program Administrator	No less than once every 24 months	Date, Attendance list, Summary of training objectives	All group trainings were suspended due to Covid in PY3. The City hopes to resume training in PY4, once Covid is no longer an issue. See Appendix.
6.5e	Pesticides & herbicide certifications	Maintain certifications and training for pesticide and herbicide applicators in accordance with Virginia Pesticide Control Act and verify contractors have obtained	Certifications obtained	SW Program Administrator	Continuously	Certifications	Compliant. See Appendix.

Updated MS4 Program Plan July 1, 2020– June 30, 2021

6. Pollution Prevention/Good Housekeeping for Facilities Owned or Operated by the Permittee						
BMP	BMP Description	Measurable Goals	Metric	Responsible Party	Timeline	Associated Documents
6.5f	E&SC & SWM Training	Ensure that plan reviewers, inspectors, and program administrators obtain the appropriate certifications as required under the Erosion and Sediment Control Law and the Stormwater Management Act and verify that contractors have obtained	Certifications obtained	E&SC Program and SW Program Administrators	Continuously	Certifications
6.5g	Emergency Response employee training	Document spill management training for emergency responders	Certifications obtained	Haz-Mat officer	Annually	Certifications
6.6	Evaluation and Assessment	Evaluate and assess progress towards meeting measurable goals.		SW Program Administrator	Annually	Annual report
						Compliant. See Appendix. Due to staff departures, no staff member has Program Admin certifications. Our new environmental compliance officer will get certification in PY4. Compliant. See Appendix. Compliant. Due to Covid, spill prevention/good housekeeping training was cancelled. We are hoping to have them in PY 4, however it is dependent on Covid. All other trainings/certifications are accounted for.

CITY OF POQUOSON - Department of Public Works
STORMWATER POLLUTION PREVENTION PLAN
MONTHLY INSPECTION REPORT
July 2020

FACILITY NAME: City of Poquoson, Public Works/Utilities/Fleet Maintenance Facility

FACILITY ADDRESS: 12 Municipal Drive, Poquoson, VA 23662

NOTE: The facility is located on approx. 4.52 acre portion of a 15.25 acre parcel. The facility contains an equipment storage building, utilities building, fleet maintenance garages, wash bay, salt/sand storage shed, fuel/oil storage tanks and storage for construction related materials. *(SEE ATTACHED MAP)*

CONTACTS:

NAME:	TITLE:	TELEPHONE:
Tom Jones	Director of Public Works	(757) 868-3592
Chad Krejcarek	Utilities Superintendent	(757) 868-3594
Jon Ellis	Fleet Maintenance Supervisor	(757) 868-3595
Mark Boesen	PW Manager/Const. Supervisor	(757) 868-5312

MATERIAL	DESCRIPTION	LOCATION	QUANTITY	EXPOSED		SPILLS / LEAKS	
				YES	NO	YES	NO
Gasoline	Dual Walled Storage Tank (Outside)	Above Ground	4000 gals	X			X
Diesel Fuel	Dual Walled Storage Tank (Outside)	Above Ground	6000 gals	X			X
Heating Oil	Storage Tanks (Outside)	Above Ground	275 gals ea.	X			X
Other Waste Fluids	Used Motor Oil Storage Tank (Inside)	Above Ground	385 gals		X		X
Used Batteries	Various Types	Covered Outside Container	Approx. 0		X		X
Used Tires	Various Types	Covered Outside Container	Approx. 86		X		X
Metal	Various Types	Yes – Covered Outside on pallet	Various Amounts		X		X

Were Leak Detection Device(s) on Storage Tank(s) Visually Inspected? ☒ Yes ☐ No

Were Exterior Seam(s) on Storage Tank(s) Visually Inspected? ☒ Yes ☐ No

NOTE: If any of the above was exposed to storm water please describe below:

MATERIAL EXPOSED TO STORMWATER, LEAKS/SPILLS? ☒ Yes ☐ No Please describe below:

- Used motor oil storage tank (inside) is pumped 1-2 times a month with additional service when needed by Heritage-Crystal Clean, LLC. Cleaned weekly & checked daily or as needed. Remove all containers, oil tank etc. from building and clean ALL. This is done yearly with regular maintenance & cleaning performed twice a week. *Oil storage tank pumped out by Heritage-Crystal Clean, LLC on 7/10/20.*
- All tanks with exception of used motor oil are located outside. Used batteries and tires are stored in separate containers and covered to limit exposure to elements.
- Concrete blocks are needed to continue replacement of existing walls for storage of sand, cold patch however current holding system is adequate at this time.

MATERIAL	DESCRIPTION	LOCATION	QUANTITY	EXPOSED		SPILLS / LEAKS	
				YES	NO	YES	NO
Asphalt	Cold Patch Mix	Covered / Under Shelter	Approx. 1/2 tons		X		X
Salt / Sand Material Storage	Salt / Sand Mix For Use on Roadway	Covered / Under Shelter	Approx. 300 tons		X		X
Stone Material Storage	Processed Stone	Outside Stockpiles	Approx. 475 tons	X			X

NOTE: If any of the above was exposed to storm water please describe below:

MATERIAL EXPOSED TO STORMWATER, LEAKS/SPILLS? ☒ Yes ☐ No Please describe below:

- Processed stone – Outside stockpiles
- Inspect rock check dam in Public Works Compound (Southern End)

Description of Equipment & Vehicles “FOUND” with Problems

EQUIPMENT STORAGE AREA	DESCRIPTION & NUMBER OF EQUIPMENT	Description of spill / leak	EXPOSED		SPILLS / LEAKS	
			YES	NO	YES	NO
PUBLIC WORKS YARD	N/A	N/A				
PARKS MAINT. YARD	N/A	N/A				

NOTE: If any of the above was exposed to storm water please describe below:

EQUIPMENT EXPOSED TO STORMWATER, LEAKS/SPILLS? ☒ Yes ☐ No Please describe below:

- 80% of equipment is stored outside due to limited amount of covered space, monitored for leaks/spills daily and cleaned and repaired as needed.

WASH RACK AREA: ☒ Yes ☐ No	CLEAN: ☒ Yes ☐ No	SPILLS / STAINS: ☒ Yes ☐ No
CHECK VALVE: ☒ Yes ☐ No	GRATE / WASH RACK: ☒ Yes ☐ No	
OIL /WATER SEDIMENT SEPERATOR 1: ☒ Yes ☐ No (Inspect on a monthly basis - Located on East side of Public Works Yard at wash rack. Installed July 2014.) Information updated 3-31-20. Pumped out by Clean Harbors as part of ongoing inspection. On 3-20-20 Clean Harbors – Cleaned oil & water separator. OIL /WATER SEDIMENT SEPERATOR 2: ☒ Yes ☐ No (Inspect on a monthly basis) (Located in-between City Garage & Storage Building. Installed November 2013.) Information updated 3-31-20. Grates in building not in service as no washing & no water is released at this time. COMMENTS: <i>(If spills or strains are present, please describe & attach Spill / Leak Clean-up Report)</i> • Cleaned up dirt, grass & litter. • Stains are old and pose no threat. • Maintain & clean after each use.		

NOTE: Wash Rack Area is uncovered. When in operation, staff members open a valve which allows the rack to drain through an oil/sediment separator and enter the municipal sewer system. Following wash operations, the wash rack pad is rinsed off and the valve is closed. When the wash rack is not in operation, storm water runoff from the concrete pad drains through grass in to a sediment trap. The sediment trap and oil/sediment separator is inspected monthly for accumulated sediment, trash and debris and cleaned when needed.

DUMPSTERS: ☒ Yes ☐ No	CLOSED: ☒ Yes ☐ No	DRAIN PLUGS: ☒ Yes ☐ No
COMMENTS: <i>(If spills or leaks are present, please describe)</i> • Clean sediment, dirt and debris from interiors of drainage inlets associated with the wash rack area.		

NOTE: Dumpsters are stored on hard surface, are contained and dumped by provider on a weekly basis.

FUELING AREA: ☒ Yes ☐ No	CLEAN: ☒ Yes ☐ No	SPILLS / STAINS: ☒ Yes ☐ No
COMMENTS: <i>(If spills or strains are present, please describe & attach Spill / Leak Clean-up Report)</i> • Stains are old and pose no threat.		

NOTE: Fueling Area is uncovered and exposed. All spills/leaks must be properly cleaned up and reported.

GENERAL FACILITY SITE AREA:
• Pick up litter around wash-oil/water separator area and Parks Maintenance Compound. • All non-hazardous absorbents and used oil filters are placed in separate containers, stored inside city garage and serviced when needed by Heritage-Crystal Clean, LLC.

Description of Equipment & Vehicles "Repaired" with Problems

EQUIPMENT STORAGE AREA	DESCRIPTION & NUMBER OF EQUIPMENT	* METHOD OF REPAIR	Work order # for repair	Repaired	
				Yes	No
PUBLIC WORKS YARD				X	

VEHICLE STORAGE AREA	DESCRIPTION & NUMBER OF VEHCILE	* METHOD OF REPAIR	Work order # for repair	Repaired	
				Yes	No
PUBLIC WORKS YARD	2017 John Deere 6110M - #MD0022	Fuel System	#0000061532	X	
PUBLIC WORKS YARD	2005 Ford Expedition - #PW0031	Battery	#0000061547	X	
PUBLIC WORKS YARD	2017 Ford F250 - #UTIL50	Battery	#0000061545	X	
PUBLIC WORKS YARD	2018 John Deere 6110M - #MD0023	Fuel System	#0000061552	X	
PUBLIC WORKS YARD	2020 Freightliner M2106 - #SW0003	Air Conditioning	#0000061562	X	
PUBLIC WORKS YARD	2020 Freightliner M2160 - #SW0003	Fuel System	#0000061556	X	
PUBLIC WORKS YARD	2016 Freightliner M2160 - #PW0009	PM Service	#0000061527	X	
PUBLIC WORKS YARD	2001 GMC Sierra 1500 - #PM0003	Fuel System Coolant System PM Service	#0000061558	X	
PUBLIC WORKS YARD	2006 Komatsu - #PW0014	Hydraulic System PM Service	#0000061540	X	
PUBLIC WORKS YARD	2006 Komatsu - #PW0014	Coolant System	#0000061584	X	
PUBLIC WORKS YARD				X	
PUBLIC WORKS YARD				X	
PUBLIC WORKS YARD				X	
PUBLIC WORKS YARD				X	
PUBLIC WORKS YARD				X	
PUBLIC WORKS YARD				X	

NOTE: If any of the above was exposed to storm water please describe below:

VEHICLE EXPOSED TO STORMWATER, LEAKS/SPILLS? ☒ Yes ☐ No Please describe below:

- 80% of vehicles are stored outside due to limited amount of covered space, monitored for leaks/spills daily and cleaned and repaired as needed.
- Vehicles are visually checked daily & weekly as part of preventative maintenance training check list by Public Work employees and prior to use, any leaks are contained, or repaired on site by operator if possible, if not they are turned in to City Garage for repairs.
- Scheduled 4000 - 5000 mile inspections along with Bi-Monthly and Yearly for vehicles. With repairs completed on and off site.

Completed By: NAME: Mark G. Boesen
(Print Name)

SIGNED: Mark G. Boesen
(Signature)

DATE: July 31, 2020



City Properties Required to Use Nutrient Management Plans:

The City of Poquoson does not fertilize its school sites.

Only two other City properties have contiguous managed turf areas of one acre or more:

South Lawson Park

- Tax Map # 27-10-00-0006; 21-01-00-0141; 21-01-00-0136
- Lat: 37° 07' 23.79"N; Long: 76° 20' 44.60"W
- HUC CB21
- 1.42 contiguous acres turf
- 16.21 acres total acreage

Baseball complex at 17 Park Street

- Tax Map # 210-01-00-0025
- Lat: 37° 07' 48.08" N; Long: 76° 21' 35.95"W
- HUC CB22
- 5.05 acres turf
- 9.60 acres total site acreage

GOOD HOUSEKEEPING EMPLOYEE TRAINING PLAN

<u>Staff Roles</u>	<u>Training Priority</u>	<u>Training Frequency</u>	<u>Schedule</u>	<u>Certification Required</u>
Field Personnel	Receive training in the recognition and reporting of illicit discharges	No less than once per 24 months	First training this permit cycle was to be held in October 2020. Due to Covid, the City cancelled all training. It is unclear when training will be allowed to be resumed. Training last occurred in PY5 of previous permit cycle.	Not Required.
Employees Performing Road, Street and Parking Lot Maintenance	Receive training in pollution prevention and good housekeeping measures	No less than once per 24 months	First training this permit cycle was to be held in October 2020. Due to Covid, the City cancelled all training. It is unclear when training will be allowed to be resumed. Training last occurred in PY5 of previous permit cycle.	Not Required.
Pesticide and Herbicide Applicators	Become certified by the Virginia Department of Agriculture and Consumer Services Pesticide and Herbicide program	In accordance with the Virginia Pesticide Control Act	In accordance with the Virginia Pesticide Control Act; certifications must be kept current	Virginia Department of Agriculture and Consumer Services Pesticide and Herbicide Applicator's Certification
Virginia Erosion and Sediment Control Program inspectors, plan reviewers, program administrators and site operators	Staff in these roles shall maintain certifications; site operators shall demonstrate they hold a Responsible Land Disturber certification.	Certifications shall be continuously held in accordance with Virginia Erosion and Sediment Control Law and attendant regulations.	Certifications shall be continuously held in accordance with Virginia Erosion and Sediment Control Law and attendant regulations.	Certifications in accordance with Virginia Erosion and Sediment Control Law and attendant regulations.

GOOD HOUSEKEEPING EMPLOYEE TRAINING PLAN

Virginia Erosion and Sediment Control Program inspectors, plan reviewers, and program administrators and contractors acting in those capacities	Staff and contractors in these roles shall maintain certifications	Certifications shall be continuously held in accordance with Virginia Stormwater Management Act and attendant regulations.	Certifications shall be continuously held in accordance with Virginia Stormwater Management Act and attendant regulations.	Certifications in accordance with Virginia Stormwater Management Act and attendant regulations.
Emergency Response Employees	The Fire Department takes the lead in this area and conducts annual training. The Police Department also is trained in Hazardous Waste Response.	Annually for the Fire Department.	Annually	Certification is not required. However, staff members must pass a test at the end of training or re take the training.

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163

PESTICIDE APPLICATOR CERTIFICATE

Issued
06/08/2020

Expires
06/30/2022

REGISTERED TECH
FOR BL# 12950



Fee Paid
EXEMPT

Certificate
130603-T

Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

JERRY R BEAN
CITY OF POQUOSON
45 BLAKE LOOP
APT E



Jewel H. Bronaugh, Ph.D.
Commissioner

Liza Fleeson Trossbach
Authorized Representative

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

**PESTICIDE APPLICATOR
CERTIFICATE**

Expires 06/30/2022 **GOVT EMPLOYEE
FOR BL# 12950** **Certificate
Number** 38303-G

BONNIE F HAMPTON
CITY OF POQUOSON
29 CRESTWOOD CIR
HAMPTON, VA 23669



Liza Fleeson Trossbach
Authorized Representative

Paid Here

VALID ONLY FOR CATEGORIES LISTED

3-A	ORNAMENTAL CONTROL	06/30/2022
3-B	TURF PEST CONTROL	06/30/2022
6	RIGHT-OF-WAY PEST CONTROL	06/30/2022
7-A	GENERAL PEST CONTROL	06/30/2022

Bonnie F Hampton
Sign Here Pesticide Applicator

**Cut and Keep in
Your wallet.**

**For Questions /Concerns call:
Office of Pesticide Services
(804)786-3798**

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163

PESTICIDE APPLICATOR CERTIFICATE

Issued 08/13/2020 **GOVT EMPLOYEE
FOR BL# 12950** **Fee Paid** EXEMPT **Certificate** 38303-G

Expires 06/30/2022



Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

BONNIE F HAMPTON
CITY OF POQUOSON
29 CRESTWOOD CIR
HAMPTON, VA 23669

Jewel H. Bronaugh, Ph.D.
Commissioner

Liza Fleeson Trossbach
Authorized Representative

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

**PESTICIDE APPLICATOR
CERTIFICATE**

Expires 06/30/2022 GOVT EMPLOYEE
FOR BL# 6745 Certificate
Number 61021-G

MARK S LACKS
CITY OF POQUOSON PUBLIC WORKS
500 CITY HALL AVE
POQUOSON, VA 23662



Liza Fleeson Trossbach
Authorized Representative

(Fold Here)

VALID ONLY FOR CATEGORIES LISTED
8 PUBLIC HEALTH PEST CONTROL 06/30/2024



Sign Here _____ Pesticide Applicator

**Cut and Keep in
Your wallet.**

**For Questions /Concerns call:
Office of Pesticide Services
(804)786-3798**

**VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163**

PESTICIDE APPLICATOR CERTIFICATE

Issued 06/08/2020 GOVT EMPLOYEE Fee Paid Certificate
FOR BL# 6745 EXEMPT 61021-G

Expires 06/30/2022



Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

MARK S LACKS
CITY OF POQUOSON PUBLIC WORKS
500 CITY HALL AVE
POQUOSON, VA 23662



Jewel H. Bronaugh, Ph.D.
Commissioner

Liza Fleeson Trossbach
Authorized Representative

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES		
PESTICIDE APPLICATOR CERTIFICATE		
Expires	REGISTERED TECH	Certificate Number
06/30/2023	FOR BL# 6745	93001-T
AARON M MC DANIEL CITY OF POQUOSON PUBLIC WORKS 500 CITY HALL AVE POQUOSON, VA 23662		
		Liza Fleeson Trossbach Authorized Representative
(Fold Here)		
VALID ONLY FOR CATEGORIES LISTED		
60	REGISTERED TECHNICIAN	06/30/2023
		
Sign Here _____ Pesticide Applicator		

**Cut and Keep in
Your wallet.**

**For Questions /Concerns call:
Office of Pesticide Services
(804)786-3798**

**VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163**

PESTICIDE APPLICATOR CERTIFICATE

Issued	REGISTERED TECH	Fee Paid	Certificate
01/29/2021	FOR BL# 6745	EXEMPT	93001-T
Expires			
06/30/2023			

Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

AARON M MC DANIEL
CITY OF POQUOSON PUBLIC WORKS
500 CITY HALL AVE
POQUOSON, VA 23662



Jewel H. Bronaugh, Ph.D.
Commissioner

Liza Fleeson Trossbach
Authorized Representative

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES

**PESTICIDE APPLICATOR
CERTIFICATE**

Expires	REGISTERED TECH	Certificate Number
06/30/2023	FOR BL# 12950	124744-T

DANIEL J REEDER
CITY OF POQUOSON
500 CITY HALL AVE
POQUOSON, VA 23662-1996



Liza Fleeson Trossbach
Authorized Representative

(Fold Here)

VALID ONLY FOR CATEGORIES LISTED

60	REGISTERED TECHNICIAN	06/30/2025
----	------------------------------	------------



Sign Here _____ Pesticide Applicator

**Cut and Keep in
Your wallet.**

**For Questions /Concerns call:
Office of Pesticide Services
(804)786-3798**

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163

PESTICIDE APPLICATOR CERTIFICATE

Issued	REGISTERED TECH	Fee Paid	Certificate
01/29/2021	FOR BL# 12950	EXEMPT	124744-T

Expires
06/30/2023



Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

DANIEL J REEDER
CITY OF POQUOSON
500 CITY HALL AVE
POQUOSON, VA 23662-1996



Jewel H. Bronaugh, Ph.D.
Commissioner

Liza Fleeson Trossbach
Authorized Representative

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
PESTICIDE APPLICATOR
CERTIFICATE

Expires 06/30/2022 **REGISTERED TECH** **Certificate Number** 78557-T
 FOR BL# 12950

CURTIS L ROWE
 CITY OF POQUOSON
 500 CITY HALL AVE
 POQUOSON, VA 23662


 Liza Fleeson Trossbach
 Authorized Representative

(Fold Here)

VALID ONLY FOR CATEGORIES LISTED
 60 REGISTERED TECHNICIAN 06/30/2024



Sign Here _____ Pesticide Applicator

**Cut and Keep in
Your wallet.**

**For Questions /Concerns call:
Office of Pesticide Services
(804)786-3798**

VIRGINIA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES
P O BOX 1163, RICHMOND VA 23218-1163

PESTICIDE APPLICATOR CERTIFICATE

Issued 06/08/2020 **REGISTERED TECH** **Fee Paid** **Certificate**
 06/08/2020 FOR BL# 12950 EXEMPT 78557-T

Expires 06/30/2022



Issued in accordance with application duly executed by the person shown below who has agreed to comply with all applicable laws, rules and regulations

CURTIS L ROWE
 CITY OF POQUOSON
 500 CITY HALL AVE
 POQUOSON, VA 23662



Jewel H. Bronaugh, Ph.D.
 Commissioner

Liza Fleeson Trossbach
 Authorized Representative

COMMONWEALTH OF VIRGINIA

State Water Control Board

1111 East Main Street, Richmond, Virginia 23219

Dual

Inspector

Garrett Jeffrey Feagans

CERTIFICATE NUMBER

DIN1429

EXPIRATION DATE

3/1/2024



This certificate is for your records and should be kept in a safe location. Please detach the above certificate and the two wallet size cards below. It is your responsibility to ensure that your certification is kept current and that you meet the requirements for re-certification before the expiration date.

COMMONWEALTH OF VIRGINIA
State Water Control Board
1111 East Main Street, Richmond, Virginia 23219

Dual
Inspector

Garrett Jeffrey Feagans

Certificate Number

DIN1429



Expiration Date

3/1/2024

COMMONWEALTH OF VIRGINIA
State Water Control Board
1111 East Main Street, Richmond, Virginia 23219

Dual
Inspector

Garrett Jeffrey Feagans

Certificate Number

DIN1429



Expiration Date

3/1/2024

COMMONWEALTH OF VIRGINIA

State Water Control Board

1111 East Main Street, Richmond, Virginia 23219

Dual

Plan Reviewer

Garrett Jeffrey Feagans

CERTIFICATE NUMBER

DPR0175

EXPIRATION DATE

12/3/2021



This certificate is for your records and should be kept in a safe location. Please detach the above certificate and the two wallet size cards below. It is your responsibility to ensure that your certification is kept current and that you meet the requirements for re-certification before the expiration date.

COMMONWEALTH OF VIRGINIA
State Water Control Board
1111 East Main Street, Richmond, Virginia 23219

Dual Plan Reviewer

Garrett Jeffrey Feagans

Certificate Number

DPR0175



Expiration Date

12/3/2021

COMMONWEALTH OF VIRGINIA
State Water Control Board
1111 East Main Street, Richmond, Virginia 23219

Dual Plan Reviewer

Garrett Jeffrey Feagans

Certificate Number

DPR0175



Expiration Date

12/3/2021

COMMONWEALTH OF VIRGINIA

State Water Control Board

1111 East Main Street, Richmond, Virginia 23219

EROSION AND SEDIMENT CONTROL

Inspector

Erin Colleen Mixon

CERTIFICATE NUMBER

ESIN1998

EXPIRATION DATE

7/8/2024



This certificate is for your records and should be kept in a safe location. Please detach the above certificate and the two wallet size cards below. It is your responsibility to ensure that your certification is kept current and that you meet the requirements for re-certification before the expiration date.

COMMONWEALTH OF VIRGINIA

State Water Control Board

1111 East Main Street, Richmond, Virginia 23219

EROSION AND SEDIMENT CONTROL

Plan Reviewer

Erin Colleen Mixon



CERTIFICATE NUMBER

ESPR0339

EXPIRATION DATE

7/8/2024



This certificate is for your records and should be kept in a safe location. Please detach the above certificate and the two wallet size cards below. It is your responsibility to ensure that your certification is kept current and that you meet the requirements for re-certification before the expiration date.

COMMONWEALTH OF VIRGINIA
State Water Control Board
1111 East Main Street, Richmond, Virginia 23219

EROSION AND SEDIMENT CONTROL

**Inspector
Mark Boesen**



**Certificate Number
2242**

**Expiration Date
5/31/2023**



Completions

Type: Completions

Run Date: Aug 12, 2020 10:36 AM

Shared with: Not Shared

Filters: Number of Activities: 0

User Status: Active, Offline

Number of Courses: 2

Completion Date Range: From 07/01/2019 To 06/30/2020

Type: All Assignments

Show 100 ▼ entries

Search:

First Name	Last Name	Employee ID	Assignment Name	Assignment Type	Assignment Method	Completion Date
Allen	Torrence	22	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/05/2020
Charles	Downey	313	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/29/2020
Christopher	Tantillo	427	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/24/2020
Christopher	Wolkowich	10101	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/29/2020
Clay	Cooper	40	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/03/2020
Corey	Archer	43	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/21/2020
Darryll	Griffiths	392	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/08/2020
David	Dixon	999	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/12/2020
Duane	McFarland	18	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/13/2020
Elijah	Rossi	10009	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/17/2020
Jessica	Firth	3000	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/16/2020
John	Ferrara	0439	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/26/2020
John	Young	7	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/18/2020
John Paul	Linton	454	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/23/2020
Jonathon	Deel	2000	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/21/2020
Joseph	Breeden	421	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Self Assign	08/15/2019
Joseph	Insley	451	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/28/2020
Joshua	Blanton	3000	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/21/2020
Nicholas	Allen	44	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/20/2020
Owen	Smith	14	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/08/2020
Randy	Cooke	1131	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/24/2020
Steven	Katona	0499	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/13/2020
Stuart	Fisher	17	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/15/2020
Tavish	O'Connor	13	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/15/2020
Thomas	Cannella	950	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/08/2020
Thomas	Diggs	10000	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/27/2020
William	Willis	10002	NFPA 1500 Advanced HAZWOPER Awareness (MOD #1)	TS Course	Create New Assignment	02/07/2020

Showing 1 to 27 of 27 entries

Prev

Help